

**Clean-Up:** Clean brush and other application tools immediately with soap and water. Follow spray gun manufacturer's instructions for cleaning equipment.

**Coverage:** 12 square feet per 8oz. Use light even coats to build to desired glitter coverage.

**PROTECT FROM FREEZING**

**Not intended for use by children under 12 years of age without adult supervision. KEEP OUT OF REACH OF CHILDREN. CONFORMS TO ASTM D-4236. For emergency health information call Your Poison Control Center at 1-800-222-1222.**

Max VOC ≤ 50 g/L

**⚠ WARNING:** Cancer and Reproductive Harm —  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**RUST-OLEUM**  
CORPORATION

11 Hawthorn Pkwy., Vernon Hills, IL 60061

800-837-8677 [rustoleum.com](http://rustoleum.com)

Made in USA | Hecho en E.U.A.

©2019 Rust-Oleum Corporation 350177 0219

350119



• TRUSTED QUALITY SINCE 1921 •

**RUST-OLEUM®**

craft & hobby

*Imagine*  
glitter



**RED**  
**INTENSE GLITTER PAINT**

NET WT. 8 FL. OZ. (236 mL)

**INTENSE GLITTER PAINT** provides multi-dimensional shimmer and sparkle. Can be applied to interior wood, metal, plastic, drywall and hardboard. Formulated to provide a decorative glitter finish to most surfaces.

**READ ALL DIRECTIONS BEFORE BEGINNING PROJECT.**

**Painting:** Rust-Oleum Imagine Intense Glitter Paint can be used over a colored or white basecoat. For best results, use an acrylic paint that is similar in color to glitter paint. Glitter Paint can be applied with a brush, roller or paint sprayer. With all application methods, use uniform thin coats to build glitter layers and intensity.

**BRUSH:** Stir thoroughly. Use a good quality synthetic brush. Brush in uniform direction per coat of paint. Apply each coat of paint in an alternating direction, first coat vertical, second coat horizontal and repeat. Use light, even strokes to ensure the smoothest finish.

**ROLL:** Stir thoroughly. Use a 9½" nap roller for best results. Fully wet roller with paint and remove excess before applying to surface. Roll in uniform direction or with slight W pattern. Avoid excessive rolling.

**SPRAY:** Stir thoroughly. Mix well in spray gun before application, do not shake. Use fan pattern for best results. Approx 1-2 hours for recoat.

**Dry and Recoat Times:** To touch in 1 hour, to handle in 2 hours and fully dry in 2-4 hours. May be recoated after 4 hours.

**Clean-Up:** Clean brush and other application tools immediately with soap and water. Follow spray gun manufacturer's instructions for cleaning equipment.

**Coverage:** 12 square feet per 8oz. Use light even coats to build to desired glitter coverage.

**PROTECT FROM FREEZING**

**Not intended for use by children under 12 years of age without adult supervision. KEEP OUT OF REACH OF CHILDREN. CONFORMS TO ASTM D-4236. For emergency health information call Your Poison Control Center at 1-800-222-1222.**

Max VOC ≤ 50 g/L

**⚠ WARNING:** Cancer and Reproductive Harm —  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**RUST-OLEUM**  
CORPORATION

11 Hawthorn Pkwy., Vernon Hills, IL 60061

800-837-8677 [rustoleum.com](http://rustoleum.com)

Made in USA | Hecho en E.U.A.

©2019 Rust-Oleum Corporation 350176 0219

350118



• TRUSTED QUALITY SINCE 1921 •

**RUST-OLEUM®**

craft & hobby  
*Imagine*  
glitter



NET WT. 8 FL. OZ. (236 mL)

**INTENSE GLITTER PAINT** provides multi-dimensional shimmer and sparkle. Can be applied to interior wood, metal, plastic, drywall and hardboard. Formulated to provide a decorative glitter finish to most surfaces.

**READ ALL DIRECTIONS BEFORE BEGINNING PROJECT.**

**Painting:** Rust-Oleum Imagine Intense Glitter Paint can be used over a colored or white basecoat. For best results, use an acrylic paint that is similar in color to glitter paint. Glitter Paint can be applied with a brush, roller or paint sprayer. With all application methods, use uniform thin coats to build glitter layers and intensity.

**BRUSH:** Stir thoroughly. Use a good quality synthetic brush. Brush in uniform direction per coat of paint. Apply each coat of paint in an alternating direction, first coat vertical, second coat horizontal and repeat. Use light, even strokes to ensure the smoothest finish.

**ROLL:** Stir thoroughly. Use a 9½" nap roller for best results. Fully wet roller with paint and remove excess before applying to surface. Roll in uniform direction or with slight W pattern. Avoid excessive rolling.

**SPRAY:** Stir thoroughly. Mix well in spray gun before application, do not shake. Use fan pattern for best results. Approx 1-2 hours for recoat.

**Dry and Recoat Times:** To touch in 1 hour, to handle in 2 hours and fully dry in 2-4 hours. May be recoated after 4 hours.

**Clean-Up:** Clean brush and other application tools immediately with soap and water. Follow spray gun manufacturer's instructions for cleaning equipment.

**Coverage:** 12 square feet per 8oz. Use light even coats to build to desired glitter coverage.

**PROTECT FROM FREEZING**

**Not intended for use by children under 12 years of age without adult supervision. KEEP OUT OF REACH OF CHILDREN. CONFORMS TO ASTM D-4236. For emergency health information call Your Poison Control Center at 1-800-222-1222.**

Max VOC ≤ 50 g/L

**⚠ WARNING:** Cancer and Reproductive Harm —  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**RUST-OLEUM**  
CORPORATION

11 Hawthorn Pkwy., Vernon Hills, IL 60061

800-837-8677 [rustoleum.com](http://rustoleum.com)

Made in USA | Hecho en E.U.A.

©2019 Rust-Oleum Corporation 350175 0219

350117



• TRUSTED QUALITY SINCE 1921 •

**RUST-OLEUM®**

craft & hobby

*Imagine*  
glitter



NET WT. 8 FL. OZ. (236 mL)

**INTENSE GLITTER PAINT** provides multi-dimensional shimmer and sparkle. Can be applied to interior wood, metal, plastic, drywall and hardboard. Formulated to provide a decorative glitter finish to most surfaces.

**READ ALL DIRECTIONS BEFORE BEGINNING PROJECT.**

**Painting:** Rust-Oleum Imagine Intense Glitter Paint can be used over a colored or white basecoat. For best results, use an acrylic paint that is similar in color to glitter paint. Glitter Paint can be applied with a brush, roller or paint sprayer. With all application methods, use uniform thin coats to build glitter layers and intensity.

**BRUSH:** Stir thoroughly. Use a good quality synthetic brush. Brush in uniform direction per coat of paint. Apply each coat of paint in an alternating direction, first coat vertical, second coat horizontal and repeat. Use light, even strokes to ensure the smoothest finish.

**ROLL:** Stir thoroughly. Use a 9½" nap roller for best results. Fully wet roller with paint and remove excess before applying to surface. Roll in uniform direction or with slight W pattern. Avoid excessive rolling.

**SPRAY:** Stir thoroughly. Mix well in spray gun before application, do not shake. Use fan pattern for best results. Approx 1-2 hours for recoat.

**Dry and Recoat Times:** To touch in 1 hour, to handle in 2 hours and fully dry in 2-4 hours. May be recoated after 4 hours.

**Clean-Up:** Clean brush and other application tools immediately with soap and water. Follow spray gun manufacturer's instructions for cleaning equipment.

**Coverage:** 12 square feet per 8oz. Use light even coats to build to desired glitter coverage.

**PROTECT FROM FREEZING**

**Not intended for use by children under 12 years of age without adult supervision. KEEP OUT OF REACH OF CHILDREN. CONFORMS TO ASTM D-4236. For emergency health information call Your Poison Control Center at 1-800-222-1222.**

Max VOC ≤ 50 g/L

**⚠ WARNING:** Cancer and Reproductive Harm —  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**RUST-OLEUM**  
CORPORATION

11 Hawthorn Pkwy., Vernon Hills, IL 60061

800-837-8677 [rustoleum.com](http://rustoleum.com)

Made in USA | Hecho en E.U.A.

©2019 Rust-Oleum Corporation 350665 0219

349200



• TRUSTED QUALITY SINCE 1921 •

**RUST-OLEUM®**

craft & hobby

*Imagine*  
glitter



ROSE  
GOLD

INTENSE GLITTER  
PAINT

NET WT. 8 FL. OZ. (236 mL)

**INTENSE GLITTER PAINT** provides multi-dimensional shimmer and sparkle. Can be applied to interior wood, metal, plastic, drywall and hardboard. Formulated to provide a decorative glitter finish to most surfaces.

**READ ALL DIRECTIONS BEFORE BEGINNING PROJECT.**

**Painting:** Rust-Oleum Imagine Intense Glitter Paint can be used over a colored or white basecoat. For best results, use an acrylic paint that is similar in color to glitter paint. Glitter Paint can be applied with a brush, roller or paint sprayer. With all application methods, use uniform thin coats to build glitter layers and intensity.

**BRUSH:** Stir thoroughly. Use a good quality synthetic brush. Brush in uniform direction per coat of paint. Apply each coat of paint in an alternating direction, first coat vertical, second coat horizontal and repeat. Use light, even strokes to ensure the smoothest finish.

**ROLL:** Stir thoroughly. Use a 9½" nap roller for best results. Fully wet roller with paint and remove excess before applying to surface. Roll in uniform direction or with slight W pattern. Avoid excessive rolling.

**SPRAY:** Stir thoroughly. Mix well in spray gun before application, do not shake. Use fan pattern for best results. Approx 1-2 hours for recoat.

**Dry and Recoat Times:** To touch in 1 hour, to handle in 2 hours and fully dry in 2-4 hours. May be recoated after 4 hours.

**Clean-Up:** Clean brush and other application tools immediately with soap and water. Follow spray gun manufacturer's instructions for cleaning equipment.

**Coverage:** 12 square feet per 8oz. Use light even coats to build to desired glitter coverage.

**PROTECT FROM FREEZING**

**Not intended for use by children under 12 years of age without adult supervision. KEEP OUT OF REACH OF CHILDREN. CONFORMS TO ASTM D-4236. For emergency health information call Your Poison Control Center at 1-800-222-1222.**

Max VOC ≤ 50 g/L

**⚠ WARNING:** Cancer and Reproductive Harm —  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**RUST-OLEUM**  
CORPORATION

11 Hawthorn Pkwy., Vernon Hills, IL 60061

800-837-8677 [rustoleum.com](http://rustoleum.com)

Made in USA | Hecho en E.U.A.

©2019 Rust-Oleum Corporation 350666 0219

349201



• TRUSTED QUALITY SINCE 1921 •

**RUST-OLEUM®**

craft & hobby

*Imagine*  
glitter



COPPER

INTENSE GLITTER  
PAINT

NET WT. 8 FL. OZ. (236 mL)

**INTENSE GLITTER PAINT** provides multi-dimensional shimmer and sparkle. Can be applied to interior wood, metal, plastic, drywall and hardboard. Formulated to provide a decorative glitter finish to most surfaces.

**READ ALL DIRECTIONS BEFORE BEGINNING PROJECT.**

**Painting:** Rust-Oleum Imagine Intense Glitter Paint can be used over a colored or white basecoat. For best results, use an acrylic paint that is similar in color to glitter paint. Glitter Paint can be applied with a brush, roller or paint sprayer. With all application methods, use uniform thin coats to build glitter layers and intensity.

**BRUSH:** Stir thoroughly. Use a good quality synthetic brush. Brush in uniform direction per coat of paint. Apply each coat of paint in an alternating direction, first coat vertical, second coat horizontal and repeat. Use light, even strokes to ensure the smoothest finish.

**ROLL:** Stir thoroughly. Use a 9½" nap roller for best results. Fully wet roller with paint and remove excess before applying to surface. Roll in uniform direction or with slight W pattern. Avoid excessive rolling.

**SPRAY:** Stir thoroughly. Mix well in spray gun before application, do not shake. Use fan pattern for best results. Approx 1-2 hours for recoat.

**Dry and Recoat Times:** To touch in 1 hour, to handle in 2 hours and fully dry in 2-4 hours. May be recoated after 4 hours.

**Clean-Up:** Clean brush and other application tools immediately with soap and water. Follow spray gun manufacturer's instructions for cleaning equipment.

**Coverage:** 12 square feet per 8oz. Use light even coats to build to desired glitter coverage.

**PROTECT FROM FREEZING**

**Not intended for use by children under 12 years of age without adult supervision. KEEP OUT OF REACH OF CHILDREN. CONFORMS TO ASTM D-4236. For emergency health information call Your Poison Control Center at 1-800-222-1222.**

Max VOC ≤ 50 g/L

**⚠ WARNING:** Cancer and Reproductive Harm —  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**RUST-OLEUM**  
CORPORATION

11 Hawthorn Pkwy., Vernon Hills, IL 60061

800-837-8677 [rustoleum.com](http://rustoleum.com)

Made in USA | Hecho en E.U.A.

©2019 Rust-Oleum Corporation 350668 0219

345699



• TRUSTED QUALITY SINCE 1921 •

**RUST-OLEUM®**

craft & hobby

*Imagine*  
glitter



SILVER

INTENSE GLITTER  
PAINT

NET WT. 8 FL. OZ. (236 mL)

**INTENSE GLITTER PAINT** provides multi-dimensional shimmer and sparkle. Can be applied to interior wood, metal, plastic, drywall and hardboard. Formulated to provide a decorative glitter finish to most surfaces.

**READ ALL DIRECTIONS BEFORE BEGINNING PROJECT.**

**Painting:** Rust-Oleum Imagine Intense Glitter Paint can be used over a colored or white basecoat. For best results, use an acrylic paint that is similar in color to glitter paint. Glitter Paint can be applied with a brush, roller or paint sprayer. With all application methods, use uniform thin coats to build glitter layers and intensity.

**BRUSH:** Stir thoroughly. Use a good quality synthetic brush. Brush in uniform direction per coat of paint. Apply each coat of paint in an alternating direction, first coat vertical, second coat horizontal and repeat. Use light, even strokes to ensure the smoothest finish.

**ROLL:** Stir thoroughly. Use a 9½" nap roller for best results. Fully wet roller with paint and remove excess before applying to surface. Roll in uniform direction or with slight W pattern. Avoid excessive rolling.

**SPRAY:** Stir thoroughly. Mix well in spray gun before application, do not shake. Use fan pattern for best results. Approx 1-2 hours for recoat.

**Dry and Recoat Times:** To touch in 1 hour, to handle in 2 hours and fully dry in 2-4 hours. May be recoated after 4 hours.

**Clean-Up:** Clean brush and other application tools immediately with soap and water. Follow spray gun manufacturer's instructions for cleaning equipment.

**Coverage:** 12 square feet per 8oz. Use light even coats to build to desired glitter coverage.

**PROTECT FROM FREEZING**

**Not intended for use by children under 12 years of age without adult supervision. KEEP OUT OF REACH OF CHILDREN. CONFORMS TO ASTM D-4236. For emergency health information call Your Poison Control Center at 1-800-222-1222.**

Max VOC ≤ 50 g/L

**⚠ WARNING:** Cancer and Reproductive Harm —  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**RUST-OLEUM**  
CORPORATION

11 Hawthorn Pkwy., Vernon Hills, IL 60061

800-837-8677 [rustoleum.com](http://rustoleum.com)

Made in USA | Hecho en E.U.A.

©2019 Rust-Oleum Corporation 350667 0219

345698



• TRUSTED QUALITY SINCE 1921 •

**RUST-OLEUM®**

craft & hobby

*Imagine*  
glitter



**GOLD**

**INTENSE GLITTER  
PAINT**

NET WT. 8 FL. OZ. (236 mL)

**INTENSE GLITTER PAINT** provides multi-dimensional shimmer and sparkle. Can be applied to interior wood, metal, plastic, drywall and hardboard. Formulated to provide a decorative glitter finish to most surfaces.

**READ ALL DIRECTIONS BEFORE BEGINNING PROJECT.**

**Painting:** Rust-Oleum Imagine Intense Glitter Paint can be used over a colored or white basecoat. For best results, use an acrylic paint that is similar in color to glitter paint. Glitter Paint can be applied with a brush, roller or paint sprayer. With all application methods, use uniform thin coats to build glitter layers and intensity.

**BRUSH:** Stir thoroughly. Use a good quality synthetic brush. Brush in uniform direction per coat of paint. Apply each coat of paint in an alternating direction, first coat vertical, second coat horizontal and repeat. Use light, even strokes to ensure the smoothest finish.

**ROLL:** Stir thoroughly. Use a 9½" nap roller for best results. Fully wet roller with paint and remove excess before applying to surface. Roll in uniform direction or with slight W pattern. Avoid excessive rolling.

**SPRAY:** Stir thoroughly. Mix well in spray gun before application, do not shake. Use fan pattern for best results. Approx 1-2 hours for recoat.

**Dry and Recoat Times:** To touch in 1 hour, to handle in 2 hours and fully dry in 2-4 hours. May be recoated after 4 hours.

**Clean-Up:** Clean brush and other application tools immediately with soap and water. Follow spray gun manufacturer's instructions for cleaning equipment.

**Coverage:** 12 square feet per 8oz. Use light even coats to build to desired glitter coverage.

**PROTECT FROM FREEZING**

**Not intended for use by children under 12 years of age without adult supervision. KEEP OUT OF REACH OF CHILDREN. CONFORMS TO ASTM D-4236. For emergency health information call Your Poison Control Center at 1-800-222-1222.**

Max VOC ≤ 50 g/L

**⚠ WARNING:** Cancer and Reproductive Harm —  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**RUST-OLEUM**  
CORPORATION

11 Hawthorn Pkwy., Vernon Hills, IL 60061

800-837-8677 [rustoleum.com](http://rustoleum.com)

Made in USA | Hecho en E.U.A.

©2019 Rust-Oleum Corporation 350669 0219

345700



• TRUSTED QUALITY SINCE 1921 •

**RUST-OLEUM®**

craft & hobby

Imagine  
glitter



NET WT. 8 FL. OZ. (236 mL)

**INTENSE GLITTER PAINT** provides multi-dimensional shimmer and sparkle. Can be applied to interior wood, metal, plastic, drywall and hardboard. Formulated to provide a decorative glitter finish to most surfaces.

**READ ALL DIRECTIONS BEFORE BEGINNING PROJECT.**

**Painting:** Rust-Oleum Imagine Intense Glitter Paint can be used over a colored or white basecoat. For best results, use an acrylic paint that is similar in color to glitter paint. Glitter Paint can be applied with a brush, roller or paint sprayer. With all application methods, use uniform thin coats to build glitter layers and intensity.

**BRUSH:** Stir thoroughly. Use a good quality synthetic brush. Brush in uniform direction per coat of paint. Apply each coat of paint in an alternating direction, first coat vertical, second coat horizontal and repeat. Use light, even strokes to ensure the smoothest finish.

**ROLL:** Stir thoroughly. Use a 9½" nap roller for best results. Fully wet roller with paint and remove excess before applying to surface. Roll in uniform direction or with slight W pattern. Avoid excessive rolling.

**SPRAY:** Stir thoroughly. Mix well in spray gun before application, do not shake. Use fan pattern for best results. Approx 1-2 hours for recoat.

**Dry and Recoat Times:** To touch in 1 hour, to handle in 2 hours and fully dry in 2-4 hours. May be recoated after 4 hours.